




AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions and listings of claims in the application, please amend the claims as follows:

1. (Currently Amended) A Gcompositions-containing comprising:

- A) 0.01 to 5 wt.% (in relation to the total composition) of at least one polymeric phosphite[[s]], wherein the polymeric phosphite conforms to at least one of the formulae (Ib), (Ic), or (Id),



where


n is an integer equal to or greater than 2,

R is, each independently, an alkyl, aralkyl, cycloalkyl, aryl, phenyl, or hetaryl, and at least one of the R groups comprises an oxetane group, and

Ar is, each independently, aryl, said aryl may optionally be substituted by alkyl and/or hydroxyl,

and wherein which contain, per molecule, at least one oxetane group and of which 50% or more of all molecules of said at least one polymeric phosphite contains at least four monomers from the group of a di- or polyvalent phenol and/or phosphite[.];

- B) 20 to 99.99 wt.% of at least one thermoplastics, said thermoplastic selected from the group of polycarbonates, polyalkylene terephthalates, ABS, styrene polymers, polyurethanes, polyamides, and polyolefins; and
 - C) 0 to 70 wt.% of at least one filling and/or reinforcing material;
 - D) 0 to 30 wt.% of at least one flame-retarding additive;
 - E) 0 to 80 wt.% of at least one further thermoplastic, different from component B;
 - F) 0 to 80 wt.% of at least one elastomer modifier; and
 - G) 0 to 10 wt.% of other conventional additives.
2. (Currently Amended) A G compositions containing comprising:
- A) 0.03 wt.% to 0.1 wt.% (in relation to the total composition) at least one polymeric phosphite[.s], wherein the polymeric phosphite conforms to at least one of the formulae (Ib), (Ic), or (Id).




n is an integer equal to or greater than 2.

R is, each independently, an alkyl, aralkyl, cycloalkyl, aryl, phenyl, or hetaryl, and at least one of the R groups comprises an oxetane group, and
Ar is, each independently, aryl, said aryl may optionally be substituted by
alkyl and/or hydroxyl.

and wherein which contain, per molecule, at least one oxetane group and 50% or more of all molecules of said at least one polymeric phosphite of which contains at least four monomers from the group of a di- or polyvalent phenol and/or phosphitephosphite[.]]:

- B) 30 wt.% to 41.87 wt.% of at least one thermoplastic, said thermoplastic selected from the group of polycarbonates, polyalkylene terephthalates, ABS, styrene polymers, polyurethanes, polyamides, and polyolefins; and
- C) 9 to 31 wt.% of at least one filling and/or reinforcing material[.];
- D) 9 to 19 wt.% of at least one flame-retarding additive[.];

- E) 31 to 51 wt.% of at least one further thermoplastic different from component B~~[I, II]~~:
- F) 9 to 15 wt.% of at least one elastomer modifier~~[I, II]~~; and
- G) 0.1 to 0.9 wt.% of other conventional additives.
3. (Currently Amended) ~~The G~~compositions according to Claims 1 or 2, wherein the at least one thermoplastic of B is a thermoplastic, selected from the group of polycarbonates and or a polyalkylene terephthalates.
 4. (Currently Amended) ~~The G~~compositions according to Claims 1 or 2, wherein the at least one thermoplastic of B is selected from polybutylene terephthalate.
 5. (Currently Amended) ~~The G~~compositions according to Claims 1 or 2, wherein the at least one further thermoplastic of E is polycarbonate.
 6. (Cancelled)
 7. (Currently Amended) ~~The G~~compositions according to Claims 1 or 2, wherein the oxetane group of at least one of the polymeric phosphites of component A) being is a heterocyclic group conforming structurally to the formula (Ie)




(Ie)

where

Z is equal to $-\text{CH}_2-\text{O}-\text{C}_6\text{H}_{13}$, or $-\text{CH}_2-\text{O}-\text{C}_2\text{H}_5$, or preferably H , $n\text{-C}_5\text{H}_{11}$, $-\text{CH}_2-\text{C}_5\text{H}_{11}$, or most preferably $-\text{CH}_3$, or extremely preferably $-\text{C}_2\text{H}_5$.

8. (Currently Amended) The composition [s] according to Claims 1 or 2, wherein a portion of the at least one polymeric phosphite of component A) comprises a further polymeric phosphite conforming structurally to the formula (If) one or more of the preceding claims, containing, as component A, the compounds



where

R' represents [=] R, HO-Ar-HO-Ar-, or (RO)₂P-
and

R'' represents [=] (RO)₂P-[,] or H


n represents an integer equal to or greater than 2,

R is, each independently, an alkyl, aralkyl, cycloalkyl, aryl, phenyl, or hetaryl,
and at least one of the R groups comprises an oxetane group, and

Ar represents, each independently, aryl, said aryl may optionally be
substituted by alkyl and/or hydroxy.

9. (Currently Amended) The composition [s] according to Claims 1 or 2, wherein at least one the polymeric phosphites of component A), comprises compounds

that contain the following structural element:



where n is an integer 2 through 10 are used as component A.

10. (Cancelled)
11. (Currently Amended) The C composition according to claim 1, wherein the at least one filling and/or reinforcing material is glass fiber-fibres are used as component C.
12. (Currently Amended) A process for producing molded bodies, comprising: Use of _____ molding the composition[[s]] according to Claims 1 or 2 into a molded part for the production of moulded bodies.
13. (Currently Amended) The molded part produced according to the process of Claim 12 Moulded bodies produced according to Claims 1 or 2.